

Application No.: 09/982307

Docket No. 10003714-1
AGIL-27470**AMENDMENTS TO THE CLAIMS**

1 1-20. (canceled)

1 21. (currently amended) A companion body fluid analyzing cartridge comprising:

2 a body having a top side and a bottom side;

3 a base element, on said bottom side of said body, detachably connected to a
4 side of an associated sensing cartridge body that performs an analyzing operation on a body
5 fluid, and has a liquid volume capacity of less than about 50 micro-liters;6 a port, on the base element, aligned with a second port on the companion body
7 fluid analyzing cartridge body;

8 a first tube connected to said port;

9 a fluid reservoir having a liquid volume capacity of at least twice the liquid
10 volume capacity of said associated sensing cartridge, connected to said first tube, said fluid
11 reservoir containing a fluid that is to be provided to said associated sensing cartridge body via
12 said first tube, said fluid reservoir also being reused as a waste reservoir and connected to a
13 second tube that receives waste fluid from said sensing cartridge body after said fluid is
14 provided to said sensing cartridge body via said first tube to receive waste materials from said
15 associated sensing cartridge body.1 22. (previously submitted) The companion body fluid analyzing cartridge
2 according to claim 21, wherein the companion cartridge detachably connects with said
3 associated sensing cartridge body by at least one of a fluid interface, a mechanical interface,
4 and an electrical interface.

Application No.: 09/982,307

Docket No.: 10003714-1
AGIL-27470

1 23. (previously submitted) The companion body fluid analyzing cartridge of
2 claim 21, further comprising a reagent storage system comprising said fluid reservoir.

1 24. (previously submitted) The companion body fluid analyzing cartridge of
2 claim 21, further comprising a calibration fluid system comprising said fluid reservoir.

1 25. (previously submitted) The companion body fluid analyzing cartridge of
2 claim 24, further comprising a waste retrieval system connected to the calibration fluid
3 system.

1 26. (previously submitted) The companion body fluid analyzing cartridge of
2 claim 21, further comprising an assay element preparation system comprising said fluid
3 reservoir.

1 27. (previously submitted) The companion body fluid analyzing cartridge of
2 claim 26, wherein the assay element preparation system includes one or more processes
3 selected from the group consisting of a blood chemistry process, a hematology process, an
4 immuno-diagnostics process, and a DNA testing process.

1 28. (previously submitted) The companion body fluid analyzing cartridge of
2 claim 26, wherein the assay element preparation system includes one ore more operations
3 selected from the group consisting of a thermo cycling operation, an incubation operation,
4 and an isolation operation.

1 29. (previously submitted) The companion body fluid analyzing cartridge of
2 claim 21, wherein the associated companion cartridge body comprises a carrier fluid system
3 connected to said first port.

Application No.: 09/982,307

Docket No.: 10003714-1
AGIL-27470

1 30. (previously submitted) The companion body fluid analyzing cartridge of
2 claim 29, wherein the carrier fluid system is programmed to increase at least a portion of the
3 volume of an assay element.

1 31. (previously submitted) The companion body fluid analyzing cartridge of
2 claim 29, wherein the carrier fluid system is connected to a waste retrieval system.

1 32. (previously submitted) The companion body fluid analyzing cartridge of
2 claim 29, further comprising an assay element, wherein the carrier fluid remains essentially
3 unmixed with the assay element.

1 33. (previously submitted) The companion body fluid analyzing cartridge of
2 claim 29, further comprising an assay element preparation system, wherein the carrier fluid
3 remains essentially unmixed with the assay element.

1 34. (currently amended) An analytical instrument comprising:
2 a companion body fluid analyzing cartridge body comprising a reagent
3 storage system connected to a first tube and a waste retrieval system connected to a second
4 tube, both said reagent storage system and said waste retrieval system comprising a same
5 reusable fluid reservoir, said same reusable fluid reservoir connected to said first tube for
6 providing a reagent to said reagent storage system and connected to said second tube for
7 receiving waste fluid from said waste retrieval system, and
8 a sensor cartridge detachably connected to and receives said reagent
9 from said reagent storage system of said companion body fluid analyzing cartridge body, and
10 providing waste fluid communication with to the waste retrieval system on said companion
11 body fluid analyzing cartridge body after said reagent is received by said sensor cartridge.

Application No.: 09/982,307

Docket No.: 10003714-1

AGIL-27470

12 wherein the sensor cartridge provides chemical analysis of an assay element, said sensor
13 cartridge having a liquid volume capacity of less than about 50 micro-liters;
14 said companion body fluid analyzing cartridge body having a liquid
15 volume capacity of at least twice the liquid volume capacity of said sensor cartridge.

1 35. (currently amended) An analytical instrument comprising:
2 a companion body fluid analyzing cartridge body comprising a
3 calibration fluid system connected to a first tube and a waste retrieval system connected to a
4 second tube, both said calibration system and said waste retrieval system comprising a same
5 reusable fluid reservoir, said same reusable fluid reservoir connected to said first tube that
6 provides for providing a fluid to said calibration system and connected to said second tube for
7 receiving that receives waste fluid from said waste retrieval system, and
8 a sensor cartridge detachably connected to and receiving said
9 calibration fluid from said calibration system on said companion body fluid analyzing
10 cartridge, and providing waste fluid to the waste retrieval system on said communication with
11 the companion body fluid analyzing cartridge body after said calibration fluid is received by
12 said sensor cartridge, wherein the sensor cartridge provides chemical analysis of an assay
13 element, said sensor cartridge having a liquid volume capacity of less than about 50 micro-
14 liters;
15 said companion body fluid analyzing cartridge body having a liquid
16 volume capacity of at least twice the liquid volume capacity of said sensor cartridge.

1 36. (currently amended) An analytical instrument comprising:
2 a companion body fluid analyzing cartridge body comprising an assay
3 element preparation system connected to a first tube and a waste retrieval system connected

Application No.: 09/982,307

Docket No.: 10003714-1
AGIL-27470

4 to a second tube, both said assay element preparation system and said waste retrieval system
5 comprising a same multiuse fluid reservoir, said same multiuse fluid reservoir connected to
6 said first tube for providing a fluid to said assay element preparation system and connected to
7 said second tube for receiving a waste fluid from said waste retrieval system, and
8 a sensor cartridge detachably connected to and receiving said fluid
9 from said same multiuse fluid reservoir via said first tube of said companion body fluid
10 analyzing cartridge body, and then providing waste fluid to said second tube of said
11 companion body fluid analyzing cartridge body, said waste fluid being deposited in said same
12 multiuse fluid reservoir, said sensor cartridge having a liquid volume capacity of less than
13 about 50 micro-liters; said companion body fluid analyzing cartridge body having a liquid
14 volume capacity of at least twice the liquid volume capacity of said sensor cartridge,
15 ~~communication with the companion body fluid analyzing cartridge body, wherein the sensor~~
16 ~~cartridge provides chemical analysis of an assay element.~~

Application No.: 09/982,307

Docket No.: 10003714-1
AGIL-27470

1 37. (currently amended) An analytical instrument comprising:
2 a companion body fluid analyzing cartridge body comprising a carrier
3 fluid system comprising a first fluid tube and a waste retrieval system comprising a second
4 fluid tube, both said carrier fluid system and said waste retrieval system comprising a same
5 fluid reservoir, said same fluid reservoir connected to said first fluid tube and said second
6 fluid tube and comprising a carrier fluid, and
7 a sensor cartridge detachably connected to and receiving said carrier
8 fluid from said first fluid tube, and then providing a waste fluid to said second fluid tube, said
9 waste fluid being deposited into said same fluid reservoir, and providing fluid communication
10 with the companion body fluid analyzing cartridge body, wherein the sensor cartridge
11 provides chemical analysis of an assay element, said sensor cartridge having a liquid volume
12 capacity of less than about 50 micro-liters; said companion body fluid analyzing cartridge
13 body having a liquid volume capacity of at least twice the liquid volume capacity of said
14 sensor cartridge.

15
1 38.-43. (canceled)